

INNOVATORS IN OUTDOOR PRODUCTS AND COMPONENTS

TOP FIRES

BY THE OUTDOOR PLUS



TOP FIRES

BY THE OUTDOOR PLUS

SEND US YOUR PHOTOGRAPHY.

Here at **TOP FIRES®** we are always looking for the best images and photography that represents our products and the lifestyle around it.

Finished an installation that uses our products that you are proud of? Send us your high quality images! (*professional DSLR camera or high end phone*).

If your images are approved, you will receive \$100 - \$150 credit for any future purchases.

Send your Pictures along with: Your Name or Company Name, Email, Phone Number, & PO# to **SALES@TOPFIRES.COM**

Help us promote your work with our amazing products. We look forward to your submissions.



TABLE OF CONTENTS

CONCRETE WATER BOWL	4
CONCRETE FIRE BOWLS	5
CONCRETE FIRE & WATER BOWLS	6
FIRE BOWL ORNAMENTS	7
ROUND COPPER WATER BOWLS	8
ROUND COPPER FIRE BOWLS	9
ROUND FIRE & WATER BOWLS	10 - 11
SCUPPERS	12 - 13
TOP TORCHES®	14 - 15
SELF CONTAINED UNITS	16 - 17
TOP FIRE TOWERS	18 - 21
FIRE PITS & TABLES	22 - 29
TOP FIRE DISCS	30 - 31
COPPER SIGNATURE COLLECTIONS	32 - 35
CORTEN STEEL, STAINLESS STEEL, POWDER COATED	36 - 41
CONCRETE GFRC SIGNATURE COLLECTIONS	42 - 55
LC CERTIFIED IGNITION SYSTEMS, DIAGRAMS, & MEDIA	56 - 59



WATER BOWLS

Concrete GFRC



All Water Bowls Include: New Easy to Install Water Fitting & Copper Scupper



We redesigned our Water Bowls to feature a smooth finish for ease of water flow



Part #	Diameter	Base Diameter	Height
OPT-24RWO	24"	9"	9"
OPT-31RWO	31"	10"	10"
OPT-36RWO	36"	10"	12"



Part #	Diameter	Base Diameter	Height
OPT-27RWO	27"	11"	9"
OPT-33RWO	31"	16"	10"



Part #	Dimensions	Base Dimensions	Height
OPT-24SWO	24"x24"	13"x13"	8"
OPT-30SWO	30"x30"	13"x13"	10"
OPT-36SWO	36"x36"	13"x13"	10"

Color GFRC Finish Options:



All Water Bowls come with our 1.5" Water Inlet

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

FIRE BOWLS

Concrete GFRC

TOP FIRES
BY THE OUTDOOR PLUS

All Fire Bowls Include: A LC Certified Ignition System Kit, S.S. Plate, Round Burner & Lava Rock



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-24RFO	Match Lit	24"	9"	9"	8"	65k
OPT-31RFO	Match Lit	31"	10"	10"	12"	65k
OPT-36RFO	Match Lit	36"	14"	12"	12"	65k
OPT-24RFOE	Electronic	24"	9"	9"	8"	65k
OPT-31RFOE	Electronic	31"	10"	10"	12"	90k
OPT-36RFOE	Electronic	36"	14"	12"	12"	90k



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-27RFO	Match Lit	27"	11"	9"	8"	65k
OPT-33RFO	Match Lit	33"	16"	10"	12"	65k
OPT-27RFOE	Electronic	27"	11"	9"	8"	65k
OPT-33RFOE	Electronic	33"	16"	10"	12"	90k



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-24SFO	Match Lit	24" x 24"	13" x 13"	8"	8"	65k
OPT-30SFO	Match Lit	30" x 30"	13" x 13"	10"	12"	65k
OPT-36SFO	Match Lit	36" x 36"	13" x 13"	10"	12"	65k
OPT-24SFOE	Electronic	24" x 24"	13" x 13"	8"	8"	65k
OPT-30SFOE	Electronic	30" x 30"	13" x 13"	10"	12"	90k
OPT-36SFOE	Electronic	36" x 36"	13" x 13"	10"	12"	90k



Color GFRC Finish Options:



Our Bowls are custom made for LP application with ventilation on bottom. Please specify if your bowl is LP in your order



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

FIRE & WATER BOWLS

Concrete GFRC

All Fire & Water Bowls Include: LC Certified Match Lit Kit or a LC Certified Electronic System Kit, S.S. Plate, Copper Scupper, Round Burner & Lava Rocks



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-24RFWM	Match Lit	24"	9"	9"	8"	65k
OPT-31RFWM	Match Lit	31"	10"	10"	12"	65k
OPT-36RFWM	Match Lit	36"	14"	12"	12"	65k
OPT-24FWE	Electronic	24"	9"	9"	8"	65k
OPT-31FWE	Electronic	31"	10"	10"	12"	90k
OPT-36FWE	Electronic	36"	14"	12"	12"	90k



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-27RFWM	Match Lit	27"	11"	9"	8"	60k
OPT-33RFWM	Match Lit	33"	16"	10"	12"	65k
OPT-27RFE	Electronic	27"	11"	9"	8"	65k
OPT-33RFE	Electronic	33"	16"	10"	12"	90k



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-24SFWM	Match Lit	24" x 24"	13" x 13"	8"	8"	65k
OPT-30SFWM	Match Lit	30" x 30"	13" x 13"	10"	12"	65k
OPT-36SFWM	Match Lit	36" x 36"	13" x 13"	10"	12"	65k
OPT-24SFWE	Electronic	24" x 24"	13" x 13"	8"	8"	50k
OPT-30SFWE	Electronic	30" x 30"	13" x 13"	10"	12"	90k
OPT-36SFWE	Electronic	36" x 36"	13" x 13"	10"	12"	90k



Color GFRC Finish Options:



Our Bowls are custom made for LP application with ventilation on bottom. Please specify if your bowl is LP in your order

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



ORNAMENTS

AVAILABLE FOR ALL BOWLS AND FIRE PITS

Custom Ornaments Available Upon Request

TOP FIRES
BY THE OUTDOOR PLUS



STEEL BALLS
OPT-SS7

Diameter: 4"
Quantity: 7



STEEL LOGS
OPT-SL

Diameter: 18"
Height: 20"



BURNING BUSH
OPT-BB

Diameter: 12"
Height: 12"



BURNING GLOBE
OPT-FG12

Diameter: 12"
Height: 12"



DESERT STICKS
OPT-DS

Diameter: 18"
Height: 20"



LOTUS FLOWER
OPT-LF

Diameter: 16"
Height: 8"

GFRC PILLARS FOR FIRE BOWLS

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors


Overall Height: 32"

Overall Width: 22" x 22"

Access Door for 20 lbs. Propane Tank

*Custom Finishes, Fire & Water Pillars, Designs, Materials, Shape & Sizes available upon request.

GFRC Finishes Available:



OPT-GFRCSTND32
w/24" Fire Bowl



OPT-GFRCSTND33
w/27" Fire Bowl

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



WATER BOWLS

Copper



Hammered Copper Pictured Above

Part #	Diameter	Base Diameter	Height
OPT-R24CPWO	24"	10"	10"
OPT-R30CPWO	30"	16"	12"
OPT-R36CPWO	36"	20"	12"

Copper Upgrade Finish Options:



Standard Copper



Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

FIRE BOWLS

Copper & Stainless Steel

TOP FIRES
BY THE OUTDOOR PLUS

All Fire Bowls Include: LC Certified Match Lit Kit or a LC Certified Electronic System Kit, S.S. Plate, Round Burner & Lava Rock



Standard Copper Pictured Above

Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-101-24NWF	Match Lit	24"	10"	10"	8"	65k
OPT-102-30NWF	Match Lit	30"	16"	12"	12"	65k
OPT-102-36NWF	Match Lit	36"	20"	12"	12"	65k
OPT-101-24NWFE	Electronic	24"	10"	10"	8"	80k
OPT-102-30NWFE	Electronic	30"	16"	12"	12"	90k
OPT-102-36NWFE	Electronic	36"	20"	12"	12"	90k



Standard Copper Pictured Above

Part #	Ignition System	Dimensions	Base Dimensions	Height	Burner	BTU'S
OPT-103-SQ24	Match Lit	24"x24"	12"x12"	8"	8"	65k
OPT-103-SQ30	Match Lit	30"x30"	15"x15"	10"	12"	65k
OPT-103-SQ36	Match Lit	36"x36"	18"x18"	12"	12"	65k
OPT-103-SQ24E	Electronic	24"x24"	12"x12"	8"	8"	80k
OPT-103-SQ30E	Electronic	30"x30"	15"x15"	10"	12"	90k
OPT-103-SQ36E	Electronic	36"x36"	18"x18"	12"	12"	90k


Copper Upgrade Finish Options:



Standard Copper



Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC



Stainless Steel Pictured Above

Part #	Ignition System	Dimensions	Base Dimensions	Height	Burner	BTU'S
OPT-103-SQ24WF	Match Lit	24"x24"	12"x12"	8"	8"	65k
OPT-103-SQ30WF	Match Lit	30"x30"	15"x15"	10"	12"	65k
OPT-103-SQ36WF	Match Lit	36"x36"	18"x18"	12"	12"	65k
OPT-103-SQ24WFE	Electronic	24"x24"	12"x12"	8"	8"	80k
OPT-103-SQ30WFE	Electronic	30"x30"	15"x15"	10"	12"	90k
OPT-103-SQ36WFE	Electronic	36"x36"	18"x18"	12"	12"	90k

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



FIRE & WATER BOWLS

Copper



All Fire & Water Bowls Include: LC Certified Match Lit Kit or a LC Certified Electronic System Kit, S.S. Plate, Copper Scupper, Round Burner & Lava Rocks



Part #	Ignition System	Dimensions	Base Dimensions	Height	Burner	BTU'S
OPT-24SCFW	Match Lit	24"x24"	12"x12"	8"	8"	65k
OPT-30SCFW	Match Lit	30"x30"	15"x15"	10"	10"	65k
OPT-36SCFW	Match Lit	36"x36"	18"x18"	12"	12"	60k
OPT-24SCFWE	Electronic	24"x24"	12"x12"	8"	8"	65k
OPT-30SCFWE	Electronic	30"x30"	15"x15"	10"	10"	80k
OPT-36SCFWE	Electronic	36"x36"	18"x18"	12"	12"	90k



Part #	Ignition System	Dimensions	Base Dimensions	Height	Burner	BTU'S
OPT-SQ24FANDW	Match Lit	24"x24"	12"x12"	8"	8"	65k
OPT-SQ30FANDW	Match Lit	30"x30"	15"x15"	10"	12"	65k
OPT-SQ36FANDW	Match Lit	36"x36"	18"x18"	12"	12"	65k
OPT-SQ24FANDWE	Electronic	24"x24"	12"x12"	8"	8"	50k
OPT-SQ30FANDWE	Electronic	30"x30"	15"x15"	10"	12"	65k
OPT-SQ36FANDWE	Electronic	36"x36"	18"x18"	12"	12"	65k



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-101-24NWCB	Match Lit	24"	10"	10"	8"	65k
OPT-102-30NWCB	Match Lit	30"	15"	12"	12"	65k
OPT-101-24NWCBE	Match Lit	24"	10"	10"	8"	65k
OPT-102-30NWCBE	Electronic	30"	15"	12"	12"	90k
OPT-102-36NWCB	Match Lit	36"	16"	12"	12"	90k
OPT-102-36NWCBE	Electronic	36"	16"	12"	12"	90k

Copper Upgrade Finish Options:



Standard Copper



Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC



FIRE & WATER BOWLS

Copper & Stainless Steel

TOP FIRES
BY THE OUTDOOR PLUS



Base not included with copper bowl

Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-4W30	Match Lit	30"	16"	12"	12"	65k
OPT-4W36	Match Lit	36"	20"	12"	12"	65k
OPT-4W30E	Electronic	30"	16"	12"	12"	90k
OPT-4W36E	Electronic	36"	20"	12"	12"	90k



Part #	Ignition System	Diameter	Base Diameter	Height	Burner	BTU'S
OPT-30FW360	Match Lit	30"	16"	12"	8"	65k
OPT-36FW360	Match Lit	36"	20"	12"	8"	65k
OPT-30FW360E	Electronic	30"	16"	12"	8"	80k
OPT-36FW360E	Electronic	36"	20"	12"	8"	80k


Copper Upgrade Finish Options:



Standard Copper




Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC



Part #	Ignition System	Dimensions	Base Dimensions	Height	Burner	BTU'S
OPT-22SSOF	Match Lit	24"x24"	16"x16"	30"	8"	65k
OPT-30SCOF	Match Lit	30"x30"	16"x16"	30"	8"	65k
OPT-22SSOFE	Electronic	24"x24"	16"x16"	30"	8"	90k
OPT-30SCOFE	Electronic	30"x30"	16"x16"	30"	8"	90k



Part #	Ignition System	Dimensions	Base Dimensions	Height	Burner	BTU'S
OPT-SQ30FNW4	Match Lit	30"x30"	20"x20"	12"	8"	65k
OPT-SQ36FNW4	Match Lit	36"x36"	20"x20"	16"	8"	65k
OPT-SQ30FNW4E	Electronic	30"x30"	20"x20"	12"	8"	90k
OPT-SQ36FNW4E	Electronic	36"x36"	20"x20"	16"	8"	90k



SCUPPERS

*Customs Available**



Radius Scupper

Width	Part #
8"	OPT-RSE8
12"	OPT-RSE12
24"	OPT-RSE24
36"	OPT-RSE36
48"	OPT-RSE48



Arch Flow Scupper

Width	Part #
8"	OPT-ARF8
12"	OPT-ARF12
24"	OPT-ARF24
36"	OPT-ARF36
48"	OPT-ARF48



Smooth Flow Radius Scupper

Width	Part #
8"	OPT-SFR8
12"	OPT-SFR12
24"	OPT-SFR24
36"	OPT-SFR36
48"	OPT-SFR48



Cannon Scupper

Diameter	Part #
2"	OPT-CS2
2"	OPT-CS3



V-Shaped Scupper

Width	Part #
6"	OPT-WS6
8"	OPT-WS8
10"	OPT-WS10
12"	OPT-WS12



Straight Spillway

Width	Part #
6"	OPT-SS6
8"	OPT-SS8
10"	OPT-SS10
12"	OPT-SS12



Smooth Flow Scupper

Width	Part #
8"	OPT-SFS8
12"	OPT-SFS12
24"	OPT-SFS24
36"	OPT-SFS36
48"	OPT-SFS48



Box Scupper


Width	Height	Part #
6"	6"	OPT-BX6
8"	8"	OPT-BX8
10"	10"	OPT-BX10
12"	12"	OPT-BX12




U-Shaped Scupper

Width	Part #
6"	OPT-USS6
8"	OPT-USS8
10"	OPT-USS10
12"	OPT-USS12


KEY: The "W" dimension will change according to the size ordered




Radius Scupper




Arch Flow Scupper




Smooth Flow Radius Scupper




Cannon Scupper




V-Shaped Scupper




Straight Spillway



Smooth Flow Scupper



Box Scupper



U-Shaped Scupper

SCUPPERS AVAILABLE IN THREE DIFFERENT MATERIALS:



Brass



Stainless Steel



Patina



TOP TORCHES®

Signature Collections

PATENT US#46449043



1.



2.



3.



4.



5.



6.



7.



8.



9.



10.



11.



12.



13.

14.

15.

16.

Part #s Correspond from left to right on the images above.



17.

18.

Part Number (Manual Ignition)	Part Number (Electronic Ignition)	Torch Height
1 OPT-TT1M	OPT-TT1E	18"
2 OPT-TT2M	OPT-TT2E	18"
3 OPT-TT3M	OPT-TT3E	18"
4 OPT-TT4M	OPT-TT4E	18"
5 OPT-TT5M	OPT-TT5E	18"
6 OPT-TT6M	OPT-TT6E	18"
7 OPT-TT7M	OPT-TT7E	18"
8 OPT-TT8M	OPT-TT8E	18"
9 OPT-TT9M	OPT-TT9E	18"
10 OPT-TT10M	OPT-TT10E	18"



19.

20.

Part Number (Manual Ignition)	Part Number (Electronic Ignition)	Torch Height
11 OPT-TT11M	OPT-TT11E	18"
12 OPT-TT12M	OPT-TT12E	18"
13 OPT-TT13M	OPT-TT13E	18"
14 OPT-TT14M	OPT-TT14E	18"
15 OPT-TT15M	OPT-TT15E	18"
16 OPT-TT16M	OPT-TT16E	18"
17 OPT-TT17M	OPT-TT17E	18"
18 OPT-TT18M	OPT-TT18E	18"
19 OPT-TT19M	OPT-TT19E	18"
20 OPT-TT20M	OPT-TT20E	18"

ALL TOP TORCHES® DO NOT INCLUDE BLACK POLE STAND**
TO ADD STAND USE **OPT-TTBP - 67" Black Pole**



24V. Electronic System
For TOP TORCHES®

TOP FIRES
BY THE OUTDOOR PLUS

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



SELF CONTAINED

Fire & Water Units: Our self contained units are ready to be finished or enjoy as is. It is constructed of heavy duty stainless steel with powder coat, protecting it from the natural elements. Custom sizes available.



Olympia OPT-OLY60
OPT-OLY60E (Electronic)

Overall Height: 22
Overall Width: 60"
Overall Length: 48"

Water Tank

Tank Height: 19"
Tank Width: 48"
Tank Length: 48"
Includes : Water Filter, Filter Cover,
Circulation Pump 110V 24hr & Water Drain

360° Fire & Water Bowl

Diameter: 30"
Base Diameter: 16"
Height: 12"
Includes: Stainless Steel Plate, 12" Fire Ring
Lava Rock, & Whistle Free Hoses

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation





Olympia OPT-OLR48
OPT-OLR48E (Electronic)

Overall Height: 36"
Overall Width: 48"
Overall Length: 48"

Water Tank

Tank Height: 22"
Tank Width: 48"
Tank Length: 48"

Includes : Water Filter, Filter Cover,
Circulation Pump 110V 24hr & Water Drain

4-Way Fire & Water Bowl

Diameter: 30"
Base Diameter: 16"
Height: 12"

Includes: Stainless Steel Plate, 12" Fire Ring
Lava Rock, & Whistle Free Hoses



Olympia OPT-OLS60S
OPT-OLS60SE (Electronic)

Overall Height: 36"
Overall Width: 60"
Overall Length: 60"

Water Tank

Tank Height: 22"
Tank Width: 60"
Tank Length: 60"

Includes : Water Filter, Filter Cover,
Circulation Pump 110V 24hr & Water Drain

4-Way Fire & Water Bowl

Diameter: 30"
Length: 30"
Base Width: 20"
Base Length: 20"
Height: 12"

Includes: Stainless Steel Plate, 12" Fire Ring
Lava Rock, & Whistle Free Hoses

COLUMN ORNAMENTS

Ornament Only



Diameter: 22" Height: 12" Base: 6" x 6"
OPT-FTWRTOP1



22" x 22" x 36"
OPT-FTWRTOP2



OPT-FTWRTOP1E
(LC Electronic Kit)

22" x 22" x 36"
OPT-FTWRTOP3

OPT-FTWRTOP3E
(LC Electronic Kit)



OPT-FTWRTOP2E
(LC Electronic Kit)

22" x 22" x 36"
OPT-FTWRTOP4

OPT-FTWRTOP4E
(LC Electronic Kit)

FIRE TOWERS

W/ Multiple Finishes


TOP FIRES
BY THE OUTDOOR PLUS



STEEL FIRE TOWER

Natural Gas or Propane
Color Shown: Copper Vein
Overall Width: 22"
Overall Height: 68"
Burning Area: 21"
BTU: 65,000
Weight: 92 lbs.
Ignition: LC Certified Match Lit kit
No Assembly Required
Items Includes: Match Lit Certified Kit,
10" burner SS ring, whistle free flex line, key valve
Electronic Ignition Compatible
*Includes Access Door for 20 lbs. Propane Tank

Custom Sizes, Finishes, Fire Tower Bowls,
& Designs Available*



*Includes spark igniter & on/off valve

Steel Finishes Available:



Copper Vein



Silver Vein



Black



Java Brown
Steel

Part #	Ignition System	Finish
OPT-FTWR1-CV	Match Lit	Copper Vein
OPT-FTWR1-SV	Match Lit	Silver Vein
OPT-FTWR1-BLK	Match Lit	Black
OPT-FTWR1-JB	Match Lit	Java Brown
OPT-FTWR1E-CV	Electronic	Copper Vein
OPT-FTWR1E-SV	Electronic	Silver Vein
OPT-FTWR1E-BLK	Electronic	Black
OPT-FTWR1E-JB	Electronic	Java Brown



FIRE TOWERS

W/ Multiple Finishes




STEEL FIRE TOWER

Natural Gas or Propane
Color Shown: Corten Steel
Overall Width: 24"
Overall Height: 87"
Burning Area: 17"
BTU: 65,000
Weight: 128 lbs.
Ignition: LC Certified Match Lit kit
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
10" burner SS ring, whistle free flex line, key valve
Electronic Ignition Compatible
Includes Access Door for 20 lbs. Propane Tank

*Custom Finishes , Designs, Materials, Shape & Sizes available upon request. Have a design in mind? We can make it.

Steel Finishes Available:



Copper Vein



Silver Vein



Black



Java Brown



Corten Steel

Part #	Ignition System	Finish
OPT-FTWR2	LC Match Lit Kit	Corten Steel
OPT-FTWR2E	LC Electronic Kit	Corten Steel

FIRE TOWERS

W/ Multiple Finishes

TOP FIRES
BY THE OUTDOOR PLUS



Hammered Copper Shown Above

COPPER FIRE TOWER

Natural Gas or Propane
Color Shown: Hammered Patina Copper
Overall Width: 24"
Overall Height: 87"
Burning Area: 17"
BTU: 65,000
Weight: 128 lbs.
Ignition: LC Certified Match Lit kit
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
10" burner SS ring, whistle free flex line, key valve
Electronic Ignition Compatible
Includes Access Door for 20 lbs. Propane Tank

*Custom Finishes , Designs, Materials, Shape & Sizes available upon request. Have a design in mind? We can make it.

Copper Finishes Available:



Standard
Copper



Hammered
Copper



Patina
Copper


Part #	Ignition System	Finish
OPT-FTWR3	LC Match Lit Kit	Patina Copper
OPT-FTWR3E	LC Electronic Kit	Patina Copper



FIRE PITS & TABLES

W/ Multiple Finishes

Finishes Available:



Copper Vein



Silver Vein



Black



Java brown

OPT-FPTBL2500

Fuel Type: Natural Gas or Propane
Material: Steel
Color Show: Black
Overall Diameter: 36" x 36"
Base: 24" x 24"
Overall Height: 24"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
No Assembly Required
Items Included: Fire Pit Unit, SS Burner & Plate,
Key Valve, Hoses, & Lava Rock
Access door for 20 lbs. LP Tank



37" HEMI

TOP-37HEMI **TOP-37HEMIE**
(Electronic)

Fuel Type: Natural Gas or Propane
Material: Steel
Color: Black High Heat Powder Coat,
Copper Vein, Silver Vein
Overall Diameter: 37"
Overall Height: 22"
Burning Area: 36"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 70 lbs.
Item Weight: 280 lbs.
No Assembly Required
Items Included: Fire Pit Unit, SS Burner, Hoses,
Key Valve, And Propane Regulator, Lava, Adjustable Legs
LP Tank outside fire pit



TOP-MC4622

Fuel Type: Natural Gas or Propane
Material: Stainless Steel
Finish: Powder Coated Base - Stainless Steel Top
Overall Length: 46"
Overall Width: 22"
Overall Height: 24"
Burning Area Length: 30"
Burning Area Width: 8"
Burning Area Depth: 2"
Minimum Heat Output: 55,000 BTU
Maximum Heat Output: 65,000 BTU
Ignition: Certified Match Lit Kit
Suggested Fire Glass: 30 lbs.
Assembly Required: Fully Assembled
Item Weight: 195 LBS
Unique Feature: Hidden propane compartment
accepts a standard 20 lb. tank
Items Included: Fire pit unit, 24" T-Burner, hoses,
key valve, lava Rock, access door & adjustable legs.



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation





Copper Vein



Silver Vein



Black



Java brown

TOP-3334

Fuel Type: Natural Gas or Propane
 Material: Stainless Steel
 Finish: Powder coat
 Color Shown: Java Brown
 Overall Length: 36"
 Overall Width: 36"
 Overall Height: 24"
 Burning Area Length: 16"
 Burning Area Width: 16"
 Minimum Heat Output: 50,000 BTU
 Maximum Heat Output: 65,000 BTU
 Ignition: Certified Match Lit Kit
 Suggested Fire Glass: 30 lbs.
 Fully Assembled
 Item Weight: 75 LBS
 Unique Feature: Hidden propane compartment accepts a standard 20 lb. tank - Items Included: Fire pit unit, 10" SS fire ring, hoses, key valve, lava Rock, access door & adjustable legs.



OPT-334SQ

Natural Gas or Propane
 Color Shown: Java Brown
 Length: 24" x 24"
 Height: 24"
 Base: 16"
 Burning Area Width: 14" x 14"
 BTU: 65,000
 Weight: 75lbs.
 Ignition: LC Certified Match Lit kit,
 LC Certified Electronic
 Suggested Fire Glass: 20 lbs.
 No Assembly Required
 Items Includes: Fire pit, Match Lit Certified Kit,
 SS Burner & Pan, whistle free flex line, key valve,
 Lava Rock, Access Door for LP Tank



OPT-SLT60 (Stainless Steel)

OPT-SLT60E (Stainless Steel Electronic)


Fuel Type: Natural Gas Or Propane
 Material: Stainless Steel
 Finish: Brushed Stainless or Powder Coated Black
 Overall Length: 60"
 Overall Width: 10"
 Overall Height: 10"
 Burning Area Length: 56"
 Burning Area Width: 6"
 Minimum Heat Output: 55,000 Btus
 Maximum Heat Output: 65,000 Btus
 Ignition: Certified Match Lit Kit
 Burning Display: Lava Rock
 Assembly Required: Fully Assembled
 Item Weight: 100 Lbs
 Unique Feature: Propane tank outside
 Items Included: Fire pit unit, 48" T-burner, hoses, key valve, lava rock, & adjustable legs

OPT-LBT60 (Black)

OPT-LBT60E (Black Electronic)



Black Shown Above



Stainless Steel Shown Above



FIRE PITS

W/ Multiple Finishes

TOP-4000

Fuel Type: Natural Gas or Propane
Material: Mild Steel
Overall Diameter: 36"
Overall Height: 24"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
No Assembly Required
Weight: 185 lbs.
Items Included: Fire Pit Unit, SS Burner & Plate,
Key Valve, Hoses, & Lava Rock, Steel Fire Logs



TOP-4558

Fuel Type: Natural Gas or Propane
Material: Stainless Steel
Overall Length: 24"
Overall Width: 24"
Overall Height: 24"
Burning Area Length: 16"
Burning Area Width: 16"
Burning Area Depth: 2"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
No Assembly Required
Weight: 180 lbs.
Items Included: Fire Pit Unit, SS Burner & Plate,
Key Valve, Hoses, & Lava Rock,
Burning Bush Ornament, Access door for LP Tank



OPT-100AD

Fuel Type: Natural Gas Or Propane
Material: Steel
Finish: Powder Coat
Color: Bronze
Overall Width: 24"
Overall Depth: 24"
Overall Height: 24"
Burning Area Length: 16"
Burning Area Width: 16"
Burning Area Depth: 2"
BTU: 65,000
Ignition: Certified Match Lit Kit
Burning Display: Lava Rock
Assembly Required: Fully Assembled
Item Weight: 180 Lbs
Hidden Propane Compartment Accepts A Standard 20
Lb. Tank Items Included: Fire Pit Unit, 10" SS Fire Ring,
SS Burning Bush, Hoses, Key Valve, Lava Rock, Access
Door & Adjustable Legs.



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



FIRE PITS & TABLES

W/ Multiple Finishes

TOP FIRES
BY THE OUTDOOR PLUS



STONE FIRE TABLE
OPT-FP-6500

FIRE PITS & TABLES

W/ Multiple Finishes

OPT-FP-6500

Fuel Type: Natural Gas or Propane
Material: Granite With Porcelain Tile
Color: Java Brown
Overall Diameter: 48"
Overall Height: 29"
Burning Area Diameter: 25"
Burning Area Depth: 2"
Minimum Heat Output: 55,000 BTU
Maximum Heat Output: 65,000 BTU
Ignition: LC Certified Match Lit kit
Burning Display: Clear Glass
Suggested Fire Glass: 40 LBS.
Assembly Required: Fully Assembled
Item Weight: 125 LBS
Unique Feature: Propane Tank Outside The Unit
Items Included: Fire Pit Unit, 25" Pan With 18" Round Burner SS Ring, Hoses, Key Valve, Clear Glass, Access Door & Adjustable Legs



OPT-5545

Fuel Type: Natural Gas or Propane
Material: Granite & porcelain tile
Finish: Tile Top / Ameristone Base
Color: Stony Creek
Overall Width: 48"
Overall Height: 29"
Burning Area Diameter: 25"
Burning Area Depth: 2"
Minimum Heat Output: 55,000 Btus
Maximum Heat Output: 65,000 Btus
Ignition: Certified Match Lit Kit
Burning Display: Lava Rock
Suggested Fire Glass: 40 Lbs.
Assembly Required: Fully Assembled
Item Weight: 200 LBS
Unique Feature: Propane tank outside the unit
Items Included: Fire pit unit, 19" SS pan, 12" SS round burner, hoses, key valve, lava rock, access door & adjustable legs



OPT-48CF

Fuel Type: Natural Gas Or Propane
Material: Granite With Porcelain Tile
Finish: Tile Top With Powder Coated Base
Color: Java Brown
Overall Diameter: 48"
Overall Height: 29"
Burning Area Diameter: 19"
Burning Area Depth: 2"
Minimum Heat Output: 55,000 BTU
Maximum Heat Output: 65,000 BTU
Ignition: Certified Match Lit Kit
Burning Display: Clear Glass
Suggested Fire Glass: 30 LBS.
Assembly Required: Fully Assembled
Item Weight: 125 LBS
Unique Feature: Propane tank inside the unit
Items Included: Fire Pit Unit, 19" SS Pan, 12" SS Round Burner, Hoses, Key Valve, Lava Rock, Access Door & Adjustable Legs



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



FIRE PITS & TABLES

W/ Multiple Finishes

TOP FIRES
BY THE OUTDOOR PLUS

OPT-3660


Fuel Type: Natural Gas Or Propane
Material: Granite with porcelain tile
Finish: Tile top with ameristone base
Overall Length: 60"
Overall Width: 36"
Overall Height: 30"
Burning Area Length: 36"
Burning Area Width: 8"
Burning Area Depth: 2"
Minimum Heat Output: 55,000 BTU
Maximum Heat Output: 65,000 BTU
Ignition: Certified Match Lit Kit
Burning Display: Lava Rock
Suggested Fire Glass: 20 Lbs.
Assembly Required: Fully Assembled
Item Weight: 380 Lbs
Unique Feature: Propane tank inside
Items Included: Fire pit unit, rectangle pan & T-burner , hoses, key valve, lava rock, access door & adjustable legs



NATURAL STONE OPTIONS

- Tan Brown
- Cafe Forest
- Uba Tuba
- Rain Forest
- Black Galaxy
- New Venetian Gold

AMERISTONE OPTIONS



- 11 - Pearl Haze
- 12 - Stoney Creek
- 13 - Woodbury Pink
- 14 - White Ash
- 15 - River Rock
- 16 - Champagne Rock
- 19 - Sedona Red
- 20 - Midnight Storm



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

FIRE PITS & TABLES

W/ Multiple Finishes

OPT-UBA48

OPT-UBA48E (Electronic)

Fuel Type: Natural Gas or Propane
Material: 12 x 12 Granite & Amerstone
Overall Diameter: 48" x 24"
Overall Height: 24"
Burning Area Diameter: BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
18" burner SS ring, whistle free flex line,
key valve, lava rock
Electronic Ignition Compatible



OPT-DBRWN48

OPT-DBRWN48 (Electronic)

Fuel Type: Natural Gas or Propane
Material: 12 x 12 Granite & Amerstone
Overall Diameter: 48" x 24"
Overall Height: 24"
Burning Area Diameter: BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
18" burner SS ring, whistle free flex line,
key valve, lava rock
Electronic Ignition Compatible



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



FIRE PITS & TABLES

W/ Multiple Finishes

TOP FIRES
BY THE OUTDOOR PLUS

OPT-GRNT48

OPT-GRNT48E (Electronic)


Fuel Type: Natural Gas Or Propane
Material: 12 x 12 Granite & Amerstone
Overall Length: 48"
Overall Width: 24"
Overall Height: 24"
Burning Area Length: 24"
Burning Area Width: 8" x 7"
Burning Area Depth: 2" x 2"
Minimum Heat Output: 55,000 BTU
Maximum Heat Output: 65,000 BTU
Ignition: Certified Match Lit Kit
Burning Display: Lava Rock
Assembly Required: Fully Assembled
Item Weight: 380 Lbs
Unique Feature: Propane tank inside
Items Included: Fire pit unit, rectangle pan & T-burner ,
hoses, key valve, lava rock, access door & adjustable legs



NATURAL STONE OPTIONS

- Tan Brown
- Cafe Forest
- Uba Tuba
- Rain Forest
- Black Galaxy
- New Venetian Gold

AMERISTONE OPTIONS



- 11 - Pearl Haze
- 12 - Stoney Creek
- 13 - Woodbury Pink
- 14 - White Ash
- 15 - River Rock
- 16 - Champagne Rock
- 19 - Sedona Red
- 20 - Midnight Storm



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

FIRE DISCS

W/ Multiple Finishes



BULLET BURNER® Included in Match Lit & Electronic OPT



Stainless Steel	Mild Steel	Ignition System	Included Bullet Burner®	Diameter	Base Diameter	Height	BTU'S
OPT-SS36WB	OPT-MS36WB	Wood Burning	No	36"	12"	12"	
OPT-SS48WB	OPT-MS48WB	Wood Burning	No	48"	18"	12"	
OPT-SS60WB	OPT-MS60WB	Wood Burning	No	60"	24"	12"	
OPT-SS36FP	OPT-MS36FP	LC Match Lit Kit	Yes	36"	12"	12"	100k
OPT-SS48FP	OPT-MS48FP	LC Match Lit Kit	Yes	48"	18"	12"	165k
OPT-SS60FP	OPT-MS60FP	LC Match Lit Kit	Yes	60"	24"	12"	295k
OPT-SS36FPE	OPT-MS36FPE	LC Electronic Kit	Yes	36"	12"	12"	100k
OPT-SS48FPE	OPT-MS48FPE	LC Electronic Kit	Yes	48"	18"	12"	165k
OPT-SS60FPE	OPT-MS60FPE	LC Electronic Kit	Yes	60"	24"	12"	295k

WOOD BURNING



FIRE DISC COMBO

Combo Fire Discs Do NOT Include Bullet Burners®

TOP FIRES
BY THE OUTDOOR PLUS



Stainless Steel	Mild Steel	Ignition System	Included Ornament	Diameter	Base Diameter	Height	BTU'S
OPT-SS36FP-FG12	OPT-MS36FP-FG12	LC Match Lit Kit	12" Globe	36"	12"	12"	100k
OPT-SS48FP-FG18	OPT-MS48FP-FG18	LC Match Lit Kit	18" Globe	48"	18"	12"	165k
OPT-SS60FP-FG24	OPT-MS60FP-FG24	LC Match Lit Kit	24" Globe	60"	24"	12"	295k
OPT-SS36FP-DS	OPT-MS36FP-DS	LC Match Lit Kit	16" Desert Sticks	36"	12"	12"	100k
OPT-SS48FP-DS18	OPT-MS48FP-DS18	LC Match Lit Kit	18" Desert Sticks	48"	18"	12"	165k
OPT-SS60FP-DS24	OPT-MS60FP-DS24	LC Match Lit Kit	24" Desert Sticks	60"	24"	12"	295k
OPT-SS36FP-BB	OPT-MS36FP-BB	LC Match Lit Kit	16" Burning Bush	36"	12"	12"	100k
OPT-SS48FP-BB18	OPT-MS48FP-BB18	LC Match Lit Kit	18" Burning Bush	48"	18"	12"	165k
OPT-SS60FP-BB24	OPT-MS60FP-BB24	LC Match Lit Kit	24" Burning Bush	60"	24"	12"	295k
OPT-SS36FPE-FG12	OPT-MS36FPE-FG12	LC Electronic Kit	12" Globe	36"	12"	12"	100k
OPT-SS48FPE-FG18	OPT-MS48FPE-FG18	LC Electronic Kit	18" Globe	48"	18"	12"	165k
OPT-SS60FPE-FG24	OPT-MS60FPE-FG24	LC Electronic Kit	24" Globe	60"	24"	12"	295k
OPT-SS36FPE-DS	OPT-MS36FPE-DS	LC Electronic Kit	16" Desert Sticks	36"	12"	12"	100k
OPT-SS48FPE-DS18	OPT-MS48FPE-DS18	LC Electronic Kit	18" Desert Sticks	48"	18"	12"	165k
OPT-SS60FPE-DS24	OPT-MS60FPE-DS24	LC Electronic Kit	24" Desert Sticks	60"	24"	12"	295k
OPT-SS36FPE-BB	OPT-MS36FPE-BB	LC Electronic Kit	16" Burning Bush	36"	12"	12"	100k
OPT-SS48FPE-BB18	OPT-MS48FPE-BB18	LC Electronic Kit	18" Burning Bush	48"	18"	12"	165k
OPT-SS60FPE-BB24	OPT-MS60FPE-BB24	LC Electronic Kit	24" Burning Bush	60"	24"	12"	295k

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

COPPER

Signature Collections



OPT-FPT2500 OPT-FPT2500E (Electronic)


Natural Gas or Propane
Finish Shown: Standard Copper
Width: 24" x 24"
Height: 24"
Burning Area: 16" x 16"
BTU: 65,000
Weight:
Ignition: LC Certified Match Lit kit
No Assembly Required
Items Includes: Fire pit, Match Lit
Certified Kit, SS Burner & Pan, whistle
free flex line, key valve, Lava Rock,
Access Door for 20 lbs. Propane Tank




Copper Upgrade Finish Options:



Standard Copper



Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC

OPT-RS48 OPT-RS48E (Electronic)

Fuel Type: Natural Gas or Propane
Material: Hammered Copper ONLY*
Overall Diameter: 48"
Overall Height: 15"
Overall Base: 18"
BTU: 65,000
Ignition: LC Certified Match Lit kit /
LC Certified Electronic
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
SS Burner & Plate, whistle free flex line,
key valve, & Lava Rock



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

COPPER FIRE PITS

Signature Collections



TOP FIRES
BY THE OUTDOOR PLUS

OPT-400-XRMINI
24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional



Patina Copper Shown Above

Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-CPRT4824	48" X 24"	24"	36"x12"	24" T'	65K	Copper	Match Lit	Lava Rock	120 lbs.
OPT-CPRT6024	60" X 24"	24"	48"x12"	36" T'	65K	Copper	Match Lit	Lava Rock	150 lbs.
OPT-CPRT7224	72" X 24"	24"	60"x12"	48" T'	100K	Copper	Match Lit	Lava Rock	180 lbs.

Items Included: Fire Pit, T-Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



Patina Copper Shown Above

Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-CPRTT4824	48" X 24"	24"	36"x12"	24" T'	65K	Copper	Match Lit	Lava Rock	120 lbs.
OPT-CPRTT6024	60" X 24"	24"	48"x12"	36" T'	65K	Copper	Match Lit	Lava Rock	150 lbs.
OPT-CPRTT7224	72" X 24"	24"	60"x12"	48" T'	100K	Copper	Match Lit	Lava Rock	180 lbs.

Items Included: Fire Pit, T-Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents


Copper Upgrade Finish Options:



Standard Copper



Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

COPPER

Signature Collections



OPT-400-XRMINI
24V. - Up to 175K BTU's
LC Certified Electronic Kit Optional

Available in Hammered Copper Only

Part Number (Natural Gas)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-48RM	48"	24"	24"	18"	65K	Hammered Copper	Match Lit	Lava Rock	105 lbs.
OPT-48RME (Electronic)	48"	24"	24"	18"	65K	Hammered Copper	Electronic	Lava Rock	105 lbs.


Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents




Copper Upgrade Finish Options:



Standard Copper



Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC

Part Number (Natural Gas)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-SQ36CPM	36" x 36"	24"	20" x 20"	12"	65K	Hammered Copper	Match Lit	Lava Rock	120 lbs.
OPT-SQ48CPM	48" x 48"	24"	24" x 24"	12"	65K	Hammered Copper	Match Lit	Lava Rock	150 lbs.

Items Included: Fire Pit, T-Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

COPPER

Signature Collections

TOP FIRES
BY THE OUTDOOR PLUS



OPT-400-XRMINI
24V. - Up to 175K BTU's
LC Certified Electronic Kit Optional

Part Number (Natural Gas)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-CPRSQ36	36"x36"	15"	18"x18"	12"	65K	Copper	Match Lit	Lava Rock	90 lbs.
OPT-CPRSQ42	42"x42"	15"	24"x24"	12"	65K	Copper	Match Lit	Lava Rock	105 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents

Copper Upgrade Finish Options:




Standard Copper



Hammered Copper
OPT-HAMC



Patina Copper
OPT-PATC



PATINA COPPER FIRE & WATER
OPT-SQ30FANDW

CORTEN STEEL

Fire Pits & Tables Collection

TOP FIRES
BY THE OUTDOOR PLUS



OPT-400-XRMINI
24V. - Up to 175K BTU's
LC Certified Electronic Kit Optional

Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-RCRTN48	48"	24"	24"	12"	150K	Corten Steel	Match Lit	Lava Rock	180 lbs.
OPT-RCRTN60	60"	24"	36"	18"	150K	Corten Steel	Match Lit	Lava Rock	250 lbs.
OPT-RCRTN72	72"	24"	48"	24"	290K	Corten Steel	Match Lit	Lava Rock	280 lbs.

Items Included: Fire Pit, T-Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-R4824CS	48" X 24"	24"	36"x12"	24" T'	50K	Corten Steel	Match Lit	Lava Rock	120 lbs.
OPT-R6024CS	60" X 24"	24"	48"x12"	36" T'	75K	Corten Steel	Match Lit	Lava Rock	150 lbs.
OPT-R7224CS	72" X 24"	24"	60"x12"	48" T'	100K	Corten Steel	Match Lit	Lava Rock	180 lbs.

Items Included: Fire Pit, T-Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CORTEN STEEL

Signature Collections



OPT-400-XRMINI
24V. - Up to 175K BTU's
LC Certified Electronic Kit Optional

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Air Vents

Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-CORCS48	48"x28"	15"	30"x10"	24" T	65K	Corten Steel	Match Lit	Lava Rock	175 lb.
OPT-CORCS60	60"x28"	15"	42"x10"	36" T	65K	Corten Steel	Match Lit	Lava Rock	195 lb.
OPT-CORCS72	72"x28"	15"	54"x10"	48" T	65K	Corten Steel	Match Lit	Lava Rock	220 lb.
OPT-CORCS84	84"x28"	15"	66"x10"	60" T	100K	Corten Steel	Match Lit	Lava Rock	245 lb.
OPT-CORCS96	96"x28"	15"	78"x10"	72" T	100K	Corten Steel	Match Lit	Lava Rock	270 lb.



Part Number (LP or NG)	Overall Diameter	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-30RRCS	30"	24"	18"	12" Round	65K	Corten Steel	Match Lit	Lava Rock	70 lbs.
OPT-36RRCS	36"	24"	18"	12" Round	65K	Corten Steel	Match Lit	Lava Rock	85 lb.
OPT-42RRCS	42"	24"	24"	18" Round	65K	Corten Steel	Match Lit	Lava Rock	100 lb.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-3030SQCS	30"x30"	24"	18"x18"	12"	65K	Corten Steel	Match Lit	Lava Rock	75 lbs.
OPT-3636SQCS	36"x36"	24"	18"x18"	12"	65K	Corten Steel	Match Lit	Lava Rock	90 lbs.
OPT-4242SQCS	42"x42"	24"	24"x24"	18"	65K	Corten Steel	Match Lit	Lava Rock	105 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



STAINLESS STEEL

Fire Pits



OPT-400-XRMINI
24V. - Up to 175K BTU's
LC Certified Electronic Kit Optional

Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-3030SQSS	30"x30"	24"	18"x18"	12"	65K	Stainless Steel	Match Lit	Lava Rock	75 lbs.
OPT-3636SQSS	36"x36"	24"	18"x18"	12"	65K	Stainless Steel	Match Lit	Lava Rock	90 lbs.
OPT-4242SQSS	42"x42"	24"	24"x24"	18"	65K	Stainless Steel	Match Lit	Lava Rock	105 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-R4824SS	48" X 24"	24"	36"x12"	24" T	65K	Stainless Steel	Match Lit	Lava Rock	120 lbs.
OPT-R6024SS	60" X 24"	24"	48"x12"	36" T	65K	Stainless Steel	Match Lit	Lava Rock	150 lbs.
OPT-R7224SS	72" X 24"	24"	60"x12"	48" T	100K	Stainless Steel	Match Lit	Lava Rock	180 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



Part Number (LP or NG)	Overall Diameter	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-30RRSS	30"	24"	18"	12" Round	65K	Stainless Steel	Match Lit	Lava Rock	70 lbs.
OPT-36RRSS	36"	24"	18"	12" Round	65K	Stainless Steel	Match Lit	Lava Rock	85 lb.
OPT-42RRSS	42"	24"	24"	18" Round	65K	Stainless Steel	Match Lit	Lava Rock	100 lb.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



STAINLESS STEEL

Fire Pits

TOP FIRES
BY THE OUTDOOR PLUS



OPT-400-XRMINI
24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Air Vents

Part Number	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-CORSS48	48"x28"	15"	30"x10"	24" T'	65K	Stainless Steel	Match Lit	Lava Rock	175 lb.
OPT-CORSS60	60"x28"	15"	42"x10"	36" T'	65K	Stainless Steel	Match Lit	Lava Rock	195 lb.
OPT-CORSS72	72"x28"	15"	54"x10"	48" T'	65K	Stainless Steel	Match Lit	Lava Rock	220 lb.
OPT-CORSS84	84"x28"	15"	66"x10"	60" T'	100K	Stainless Steel	Match Lit	Lava Rock	245 lb.
OPT-CORSS96	96"x28"	15"	78"x10"	72" T'	100K	Stainless Steel	Match Lit	Lava Rock	270 lb.



STAINLESS STEEL TOWER
OPT-SSTWR5

POWDER COATED

Signature Collections



OPT-400-XRMINI
24V. - Up to 175K BTU's
LC Certified Electronic Kit Optional

Part Number (LP or NG)	Overall Diameter	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-30PCB	30"	24"	18"	8" Round	65K	Powder Coat	Match Lit	Lava Rock	110 lbs.
OPT-36RCB	36"	24"	18"	8" Round	65K	Powder Coat	Match Lit	Lava Rock	150 lbs.
OPT-42PCB	42"	24"	24"	10" Round	65K	Powder Coat	Match Lit	Lava Rock	170 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-R4824PCR	48" X 24"	24"	36"x12"	24" T'	65K	Powder Coat	Match Lit	Lava Rock	160 lbs.
OPT-R6024PCR	60" X 24"	24"	48"x12"	36" T'	65K	Powder Coat	Match Lit	Lava Rock	200 lbs.
OPT-R7224PCR	72" X 24"	24"	60"x12"	48" T'	65K	Powder Coat	Match Lit	Lava Rock	280 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-30PCSQ	30" x 30"	24"	18" x 18"	8" Round	65K	Powder Coat	Match Lit	Lava Rock	100 lbs.
OPT-36PCSQ	36" x 36"	24"	18" x 18"	8" Round	65K	Powder Coat	Match Lit	Lava Rock	120 lbs.
OPT-42PCSQ	42" x 42"	24"	24" x 24"	10" Round	65K	Powder Coat	Match Lit	Lava Rock	170 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Access Door, Air Vents

The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

POWDER COATED

Signature Collections

TOP FIRES
BY THE OUTDOOR PLUS



Part Number	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-CORPC48	48"x28"	15"	30"x10"	24" T'	65K	Powder Coat	Match Lit	Lava Rock	175 lbs.
OPT-CORPC60	60"x28"	15"	42"x10"	36" T'	65K	Powder Coat	Match Lit	Lava Rock	195 lbs.
OPT-CORPC72	72"x28"	15"	54"x10"	48" T'	65K	Powder Coat	Match Lit	Lava Rock	220 lbs.
OPT-CORPC84	84"x28"	15"	66"x10"	60" T'	100K	Powder Coat	Match Lit	Lava Rock	245 lbs.
OPT-CORPC96	96"x28"	15"	78"x10"	72" T'	100K	Powder Coat	Match Lit	Lava Rock	270 lbs.

Items Included: Fire Pit, Burner, Hoses, Key Valve, Lava Rock, Air Vents



Blue Powder Coat



Red Powder Coat



Copper Vein



Black Powder Coat



OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

CUSTOM FIRE GUARD

CONCRETE GFRC

Signature Collections



37" SIENNA

OPT-RF37

Natural Gas or Propane
Material: GFRC Concrete
Finish: Smooth
Colors: 7 Options
Overall Diameter: 37"
Overall Height: 20"
Burn Area Diameter: 20"
BTU: 65,000
Weight:
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 30 LBS
No Assembly Required
Items Includes: Fire pit, Match
Lit Certified Kit, 10" burner SS ring,
whistle free flex line key valve
Electronic Ignition Compatible



48" SEDONA

OPT-SED48

Fuel Type: Natural Gas or Propane
Material: Concrete GFRC
Finish: Smooth
Color: 7 colors
Overall Diameter: 48"
Overall Height: 16"
Burning Area Diameter: 36"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 150 LBS
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
18" burner SS ring, whistle free flex line key valve
Electronic Ignition Compatible



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

CONCRETE GFRC

Signature Collections



TOP FIRES
BY THE OUTDOOR PLUS

OPT-400-XRMINI
24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

37" / 24" ROMA

OPT-ROM37 OPT-ROM24

Natural Gas or Propane
Material: Concrete GFRC
Finish: Smooth
Color: 7 colors
Overall Diameter: 36" / 24"
Overall Height: 17" / 10"
Burning Area Width: 29" / 20"
BTU: 65,000
Weight:
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 30 LBS
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
10" burner SS ring, whistle free flex line, key valve
Electronic Ignition Compatible



37" SONOMA

OPT-SONMA37

Natural Gas or Propane
Material: GFRC Concrete
Finish: Smooth
Colors: 7 Options
Overall Diameter: 37"
Overall Height: 20"
Burn Area Diameter: 20"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
No Assembly Required
Items Includes: Fire pit, Match
Lit Certified Kit, 10" burner SS ring,
whistle free flex line, key valve
Electronic Ignition Compatible



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation

CONCRETE GFRC

Signature Collections



OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

FLORENCE

OPT-FL42

Fuel Type: Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Diameter: 42"

Overall Height: 12"

Burning Area Diameter: 25"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit, Match Lit Certified Kit,
10" burner SS ring, whistle free flex line key valve
Electronic Ignition Compatible



TEMPE

OPT-TEM48

Fuel Type: Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Diameter: 48"

Overall Height: 15"

Burning Area Diameter: 26"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit, Match Lit Certified Kit,
10" burner SS ring, whistle free flex line
key valve , Electronic Ignition Compatible



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE GFRC

Signature Collections



TOP FIRES
BY THE OUTDOOR PLUS

OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

REDANN

OPT-RDN50

Fuel Type: Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Width: 50" x 50"

Overall Height: 24"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit, Match Lit Certified Kit,

10" burner SS ring, whistle free flex line

key valve, Electronic Ignition Compatible

Access door for LP Tank



OCTO

OPT-OCTO42

Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Width: 42"

Overall Height: 24"

Burning Area Length: 36"

Burning Area Width: 11"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 40 LBS

No Assembly Required

Items Includes: Fire pit, Match Lit Certified Kit,

Linear Burner, whistle free flex line key valve

Electronic Ignition Compatible

Access Door for LP tank



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE GFRC

Signature Collections



OPT-400-XRMINI
24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

36" / 42" QUAD

OPT-QD36

OPT-QD42

Natural Gas or Propane
Material: GFRC Concrete
Finish: Smooth
Colors: 7 Options
Overall Diameter: 36" x 36" / 42" x 42"
Overall Height: 12"
Burn Area: 28" x 28" / 30" x 30"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 30 LBS
No Assembly Required
Items Includes: Fire pit, Match
Lit Certified Kit, 10" burner SS ring,
whistle free flex line key valve
Electronic Ignition Compatible



37" Sienna

CONCRETE GFRC

Signature Collections



TOP FIRES
BY THE OUTDOOR PLUS

OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

22" CASTILLO PILLAR

OPT-CSTO22 (No Access Door)

OPT-CSTO22AD (Access Door)

Natural Gas or Propane

Material: GFRC Concrete

Finish: Smooth

Colors: 7 Options

Overall Diameter: 22"

Overall Height: 33"

Burn Area Diameter: 15"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit, Match

Lit Certified Kit, 10" burner SS ring,

whistle free flex line key valve

Electronic Ignition Compatible

Optional Access Door for 20 lbs. Propane Tank



20" BASTON PILLAR

OPT-BSTON20 (No Access Door)

OPT-BSTON20AD (Access Door)

Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Width: 20" x 20"

Overall Height: 34"

Burning Area: 13" x 13"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit,

Match Lit Certified Kit,

10" burner SS ring, whistle free flex line

key valve , Electronic Ignition Compatible

Optional Access Door for 20 lbs. Propane Tank



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE GFRC

Signature Collections



OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

REGAL

48" x 24"
OPT-RGL48

54" x 24"
OPT-RGL54

60" x 24"
OPT-RGL60

Natural Gas or Propane
Material: Concrete GFRC
Finish: Smooth
Color: 7 colors
Overall Depth: 24"
Overall Height: 12"
Burning Area Length: 24" / 36" / 36"
Burning Area Width: 10"
Weight: 250 lbs.
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 30 LBS
No Assembly Required
Items Includes: Fire pit,
Match Lit Certified Kit,
Linear Burner, whistle free flex line
key valve , Electronic Ignition Compatible



DEL MAR


OPT-DEL6028

OPT-DEL7228

OPT-DEL8428

OPT-DEL9628

Fuel Type: Natural Gas or Propane
Material: Concrete GFRC
Finish: Smooth
Color: 7 colors
Overall Length: 60" / 72" / 84" / 96"
Overall Height: 28"
Overall Width: 24"
Overall height: 15"
Weight: 350 lbs.
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 30 LBS
No Assembly Required
Items Includes: Fire pit,
Match Lit Certified Kit,
Linear burner SS ring,
whistle free flex line key valve,
Electronic Ignition Compatible



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE GFRC

Signature Collections



TOP FIRES
BY THE OUTDOOR PLUS

OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

CORONADO

GFRC FINISH

OPT-CORGFR48

Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Length: 48"

Overall Width: 28"

Overall Height: 15"

Burning Area Length: 28"

Burning Area Width: 8"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit,

Match Lit Certified Kit,

Linear burner SS, whistle free flex line

key valve , Electronic Ignition Compatible



PISMO

OPT-2448

Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Width: 48"

Overall Depth: 24"

Overall Height: 24"

Burning Area Length: 28"

Burning Area Width: 8"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit,

Match Lit Certified Kit,

SS T Burner, whistle free flex line

key valve , Electronic Ignition Compatible

Access Door For 20 lbs. Propane Tank



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE GFRC

Signature Collections



OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

SALEEN

TOP-CONTB48

Natural Gas or Propane
Material: Concrete GFRC
Finish: Smooth
Color: 7 colors
Overall Width: 32"
Overall Length: 60"
Overall Height: 24"
Burning Area Length: 30"
Burning Area Width: 11"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 30 LBS
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
Linear Burner, whistle free flex line key valve
Electronic Ignition Compatible
Includes Dual Access Door
for 20lbs. Propane Tank



Base Color Options



Black



Java Brown

HAVANA

OPT-HVNA

Fuel Type: Natural Gas or Propane
Material: Concrete GFRC
Finish: Smooth
Color: 7 colors
Overall Diameter: 47"
Overall Height: 25"
Burning Area Diameter: 36"
BTU: 65,000
Ignition: LC Certified Match Lit kit
Burning Display: Lava Rock
Suggested Fire Glass: 150 LBS
No Assembly Required
Items Includes: Fire pit, Match Lit Certified Kit,
12" burner SS ring, whistle free flex line key valve
Electronic Ignition Compatible
Includes Access Door for 20lbs. Propane Tank



Base Color Options



Black



Java Brown

Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE WOOD FINISH

Signature Collections



OPT-400-XRMINI
24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

TOP FIRES
BY THE OUTDOOR PLUS

MALIBU W/ ACCESS DOOR



Part Number	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-WT36	36"x36"	24"	16"x16"	10" Round	65K	GFRC	Match Lit	Lava Rock	250
OPT-WT48	48"x48"	24"	24"x24"	12" Round	65K	GFRC	Match Lit	Lava Rock	350

Fully Assembled, Hidden Propane Compartment Accepts A Standard 20 Lb. Tank.

MALIBU



Part Number	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-WOL36	36"x36"	16"	16"x16"	10" Round	65K	GFRC	Match Lit	Lava Rock	200
OPT-WOL48	48"x48"	16"	24"x24"	12" Round	65K	GFRC	Match Lit	Lava Rock	250

Fully Assembled, Propane Tank Stored Outside Of Unit.

GFRC WOOD GRAIN FINISH OPTIONS:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE WOOD FINISH

Signature Collections



OPT-400-XRMINI
24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

SIERRA



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	LC Ignition	Burning Display	Weight
OPT-SRA36	36" x 36"	15"	18" x 18"	10"	65K	GFRC	Match Lit	Lava Rock	180 lb.
OPT-SRA42	42" x 42"	15"	24" x 24"	12"	65K	GFRC	Match Lit	Lava Rock	200 lb.



Fully Assembled, Propane Tank Stored Outside Of Unit.



BIG SUR



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	LC Ignition	Burning Display	Weight
OPT-BGSR60	60" x 28"	24"	42" x 10"	36"	65K	GFRC	Match Lit	Lava Rock	220 lb.
OPT-BGSR72	72" x 28"	24"	54" x 10"	42"	65K	GFRC	Match Lit	Lava Rock	270 lb.

Fully Assembled, Hidden Propane Compartment Accepts A Standard 20 Lb. Tank.

GFRC WOOD GRAIN FINISH OPTIONS:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE WOOD FINISH

Signature Collections



TOP FIRES
BY THE OUTDOOR PLUS

OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

CORONADO

WOOD FINISH



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-COR48LP	48"x28"	15"	30"x10"	24" 'T'	65K	GFRC	Match Lit	Lava Rock	300 lb.
OPT-COR60LP	60"x28"	15"	42"x10"	36" 'T'	65K	GFRC	Match Lit	Lava Rock	350 lb.
OPT-COR72LP	72"x28"	15"	54"x10"	48" 'T'	65K	GFRC	Match Lit	Lava Rock	400 lb.
OPT-COR84LP	84"x28"	15"	66"x10"	60" 'T'	100K	GFRC	Match Lit	Lava Rock	450 lb.
OPT-COR96LP	96"x28"	15"	78"x10"	72" 'T'	100K	GFRC	Match Lit	Lava Rock	500 lb.
OPT-COR108LP	108"x28"	15"	90"x10"	84" 'T'	120K	GFRC	Match Lit	Lava Rock	550 lb.
OPT-COR120LP	120"x36"	15"	102"x12"	96" 'T'	160K	GFRC	Match Lit	Lava Rock	600 lb.

Fully Assembled, Propane Tank Stored Outside Of Unit.

CATALINA



Part Number (LP or NG)	Overall Dimensions	Overall Height	Burning Area	Burner Size	BTU	Finish	Ignition	Burning Display	Weight
OPT-CTL48LP	48"x28"	24"	29"x9"	24" 'T'	65K	GFRC	Match Lit	Lava Rock	330 lb.
OPT-CTL60LP	60"x36"	24"	36"x12"	24" 'T'	65K	GFRC	Match Lit	Lava Rock	375 lb.
OPT-CTL72LP	72"x36"	24"	48"x12"	36" 'T'	65K	GFRC	Match Lit	Lava Rock	425 lb.
OPT-CTL84LP	84"x36"	24"	60"x12"	48" 'T'	100K	GFRC	Match Lit	Lava Rock	475 lb.
OPT-CTL96LP	96"x36"	24"	72"x12"	60" 'T'	100K	GFRC	Match Lit	Lava Rock	525 lb.
OPT-CTL108LP	108"x36"	24"	84"x12"	72" 'T'	120K	GFRC	Match Lit	Lava Rock	575 lb.
OPT-CTL120LP	120"x36"	24"	96"x12"	84" 'T'	160K	GFRC	Match Lit	Lava Rock	600 lb.

Fully Assembled, Hidden Propane Compartment Accepts A Standard 20 Lb. Tank.

GFRC WOOD GRAIN FINISH OPTIONS:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE GFRC

Signature Collections



OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

LUCIA

OPT-LUC30

Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Diameter: 31"

Overall Height: 20"

Burning Area: 20"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit,

Match Lit Certified Kit,

10" burner SS ring, whistle free flex line

key valve , Electronic Ignition Compatible



MESA

OPT-MESA30

Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Width: 30" x 30"

Overall Height: 18"

Burning Area: 24" x 24"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit,

Match Lit Certified Kit,

10" burner SS ring, whistle free flex line

key valve , Electronic Ignition Compatible



Color GFRC Finish Options:



The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CONCRETE GFRC

Signature Collections



TOP FIRES
BY THE OUTDOOR PLUS

OPT-400-XRMINI

24V. - Up to 175K BTU's

LC Certified Electronic Kit Optional

COPA

OPT-COPA32

Fuel Type: Natural Gas or Propane

Material: Concrete GFRC

Finish: Smooth

Color: 7 colors

Overall Diameter: 33"

Overall Height: 22"

Burning Area Diameter: 27"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit, Match Lit Certified Kit,
12" burner SS ring, whistle free flex line key valve

Electronic Ignition Compatible

Color GFRC Finish Options:



OPT-FPT-3000

Fuel Type: Natural Gas or Propane

Material: Concrete GFRC

Finish: Textured

Color: Only Textured Option**

Overall Diameter: 32"

Overall Height: 18"

Burning Area Diameter: 27"

BTU: 65,000

Ignition: LC Certified Match Lit kit

Burning Display: Lava Rock

Suggested Fire Glass: 30 LBS

No Assembly Required

Items Includes: Fire pit, Match Lit Certified Kit,
12" burner SS ring, whistle free flex line key valve

Electronic Ignition Compatible




The Outdoor Plus individually Handcrafts all of the products shown here. Finishes are subject to slight texture variation & color variation



CERTIFIED ELECTRONIC SYSTEMS



The Outdoor Plus' Electronic System meets the new NEC 12V Standard and can be placed and operated next to water



Standard Capacity Electronic System

OPT-400-XRAWES

24V. - Up to 290K BTU's



Low Capacity Electronic System

OPT-400-XRMINI

24V. - Up to 175K BTU's



High Capacity Electronic System

OPT-400-XRHC

24V. - Up to 500K BTU's



ELECTRONIC SYSTEM 12VAC. 1.5A 60HZ.

OPT-400E12V

Successfully have a New Electronic System that is up to new NEC Code Standards.
Article 680 NEC 2014



VFM Electronic Ignition System

OPT-400-XRVH

24V. - Up to 500K BTU's




Match Lit Insert Certified to ANSI & CSA Specs

Stainless Steel Plate, Round Burner
Whistle Free Flex Line, & Lava Rock

GLASS COLOR OPTIONS

AVAILABLE FOR ALL BOWLS AND FIRE PITS

TOP FIRES
BY THE OUTDOOR PLUS



Part #s Correspond from left to right on the image above.

Color	Part #	Color	Part #
1. Black (¼"-½")	OPT-701SM	9. Black (½"-1")	OPT-701
2. Amber (¼"-½")	OPT-708SM	10. Amber (½"-1")	OPT-708
3. Blue (¼"-½")	OPT-702SM	11. Blue (½"-1")	OPT-702
4. Teal (¼"-½")	OPT-707SM	12. Teal (½"-1")	OPT-707
5. Green (¼"-½")	OPT-709SM	13. Green (½"-1")	OPT-709
6. CrystalClear (¼"-½")	OPT-703SM	14. Crystal Clear (½"-1")	OPT-703
7. Aqua (¼"-½")	OPT-708AQM	15. Aqua (½"-1")	OPT-708AQ
8. Turquoise (¼"-½")	OPT-706SM	16. Turquoise (½"-1")	OPT-706
Color	Part #	Color	Part #
17. Black (Reflective)	OPT-144BL	25. Clear	OPT-137
18. Copper (Reflective)	OPT-138C	26. Rootbeer	OPT-150MRB
19. Cobalt (Reflective)	OPT-144CB	27. Blue (Flat Marble)	OPT-150FMB
20. Sky Blue (Reflective)	OPT-144SK	28. Blue Berry (Bean)	OPT-150BBB
21. Emerald (Reflective)	OPT-144EM	29. Clear	OPT-150BC
22. Platinum (Reflective)	OPT-144PL	30. Small Lava	OPT-149-50
23. Gold (Reflective)	OPT-144GL	31. Lava	OPT-150-50
24. Bronze (Reflective)	OPT-144BZ	32. Polished Lava	OPT-PLSM-50

NEW WATER BOWL:



All Water Bowls come with our
New Water Fitting

We redesigned our Water Bowls to feature
a smooth finish for ease of water flow

KEY VALVE INSTALLATION

On Bowls Upon Request**




CANVAS COVERS




Canvas Covers available for all our Fire Bowls. Please specify in your order if needed.

LIQUID PROPANE FIRE / NATURAL GAS FIRE FIRE & WATER BOWL MATCH LIT & ELECTRONIC IGNITION


LP Fire Bowl Match Lit




LP Fire Bowl Electronic Ignition




LP Fire and Water Bowl Matchlit




LP Fire and Water Bowl Electronic Ignition




NG Fire Bowl Electronic Ignition




NG Fire Bowl Match Lit



NG Fire Bowl Electronic Ignition



NG Fire and Water Bowl Electronic Ignition



Limited Warranty

The Outdoor Plus Company (TOP) warrants TOP fire pits against manufacturing defects that prevent safe and correct function as follows:

- **Electronics, Gas Valve, & Pilot Assembly: Commercial-6mos; Residential- 1 yr.**
- **Stainless Steel Pan, Fire Ring, & Valve Box: Commercial-1yr.; Residential 3yrs.**

This commences from the date of original sale / shipment from The Outdoor Plus.

This warranty is for parts and in-house (TOP) labor. The defective product must be sent back to TOP with a Return Merchandise Authorization (RMA) issued by TOP for that specific product and any other additional information for the nature of the defect or warranty claim.

The warranty does not cover items that have been damaged by overheating, modification, abuse, or improper storage. Also any labor involving installation or maintenance with the unit is not covered.

This warranty excludes claims for consequential, indirect-collateral expenses arising from product defects or warranty recovery.

SMALL ORDER SURCHARGE

We have a small order surcharge on orders of \$50.00 or less.

Surcharge of \$7.00 is applied to orders of \$0.01-\$24.99

Surcharge of \$5.00 is applied to orders of \$25.00-\$49.99

TOP FIRES
BY THE OUTDOOR PLUS



THEOUTDOORPLUS.COM
TOPFIRES.COM

235 E. MAIN ST.
ONTARIO, CA. 91761
P: 909.460.5579 F: 909.460.5530